



Club Zentral
Hohe Straße 9
D-70174 Stuttgart

TECHNICAL RIDER

Contacts:

Jens Maurer (Jugendhaus Mitte) – Contact person for the club, Booking

E: jens.maurer@dasmittle.de / booking@club-zentral.de

T: +49 711 99783675

Marvin Derschka (Company MEDIASOLUTIONS) – Technical Director,
Sound Engineer

E: marvin.derschka@mediasolutions-LB.de

T: +49 173 2646910

Sound Equipment

PA

Speaker

Tops: Adamson CS10p 100x50

Subs: Adamson CS119

Monitors

3x HK Audio O12xD – active Wedge (Left, Center, Right)

1x LD Stinger 15" active Subwoofer (Drumfill)

1x LD EB122A 12" active Top (Drumfill)

FOH

Mixing Desks

DiGiCo S21 Digitalconsole (48 Flexi Channels, 16 Flexi Busses)

Basic setup & patch available!

Stage

Multicores/Network/Stagerack

1x analog Multicore 24/8 (Stage Left)

1x Guestline Klotz RAMCat 35m with Ethercon plug connector
(Stage Left)

1x DiGiCo D-Rack 32x Inputs XLR (analog) /8x Outputs XLR (analog)

Microphones/Stands/Others

- 5 x Shure SM57
- 1 x Shure Beta91a
- 2 x AKG D112
- 1 x Audix D6

- 1 x Shure Beta58
- 4 x Shure SM 58
- 4 x Beyerdynamic Opus 53
- 2 x Sennheiser e606
- 2 x DI-Box Palmer PAN 01 passive
- 2x DI-Box Palmer PAN 02 active
- 1x DI-Box Radial Pro-D2
- Sufficient microphone stands and cables

Light Equipment

Moving Heads

- 4x FUTURELIGHT DMH-90 LED Moving Head

Front

- 4 x Par64 (2 x 500W Raylight /2 x 1000W CP62)
- 1x Griven 1kW Stufenlinse mit Torblenden

Back-/Sidetruss

- 12 x Futurelight PRO Slim PAR-12 MK2 HCL
- 3 x SHOWTEC SUNSTRIP ACTIVE DMX for backdrop illumination
- 4 x Futurelight POS 8 LED HCL Powerstick

Patch plan for the light is available on request

FOH

Mixing Desks

- 1x MA Lighting GrandMA2 on PC TourPack
 - 1x HP Desktop Touchscreen PC
 - 1x MA Lighting Command Wing
- 1x MA Lighting Lightcommander 24/6 (configured as an input for CW)

Dimmer/Controller/Others

- 1x LLT 12-2 Dimmerpack 12x2kW (Manuell)
- 1x ShowTec Dimmerpack 12x2kW (DMX)
- 1x HotPatch (locked)
- 1x Cameo Instant Hazer 1500 T Pro

Stage

Stage Dimensions

Width:	6 meters
Depth:	5 meters
Height:	0,6 meters
Headroom:	approx. 3 meters
Drumriser:	3 x 2 meters

Additional Power for Lights (Distribution box available)

Cekon 400V/32A

Trussing/Rigging

Prolyte H30V Traversen (permanently installed, not mobile)